

A COUPLING SUCCESSIVE APPROXIMATION METHOD FOR SOLVING DUFFING EQUATION AND ITS APPLICATION

Dao Huy Bich¹, Nguyen Dang Bich^{2,*}

¹Hanoi University of Science, VNU, Vietnam

²Institute for Building Science and Technology (IBST), Hanoi, Vietnam

*E-mail: dangbichnguyen@gmail.com

Received March 15, 2014

Abstract. The paper proposes an algorithm to solve a general Duffing equation, in which a process of transforming the initial equation to a resulting equation is proposed, and then the coupling successive approximation method is applied to solve the resulting equation. By using this algorithm a special physical factor and complex-valued solutions to the general Duffing equation are revealed. The proposed algorithm does not use any assumption of small parameters in the equation solving. The coupling successive procedure provides an analytic approximated solution in both real-valued or complex-valued solution. The procedure also reveals a formula to evaluate the vibration frequency, φ , of the non-linear equation. Since the first approximation solution is in a closed-form, the chaos index of the general Duffing equation and the chaotic characteristics of solutions can be predicted. Some examples are used to illustrate the proposed method. In the case of chaotic solution, the Poincaré conjecture is used for solution verification.

Keywords: General Duffing equation, coupling successive approximation method, chaos index, chaotic structures of solutions.

1. INTRODUCTION

Many dynamical problems lead to a general Duffing equation [1–6] with not only the third order but also second order nonlinearities. Recently, there have been increasing researches dealing with the Duffing equation with a set of chaotic solutions. The commonly index used to recognize the chaotic solutions of the Duffing equation is Liapunov index [7], which requires a complex calculation. Therefore, there is a need to develop another index using an easier calculation.

There are many available methods to solve nonlinear differential equations in general, and the Duffing equation in particular. For examples:

- The Runge Kutta [8] and Newmark [9] methods are two numerical methods, which require no additional assumptions in equation solved. Applying these methods, some authors were able to find and assess chaotic solutions to the Duffing equation. However,

these solutions may not converge [10] and there are difficulties in assessing properties of parameter-dependent solutions.

- The perturbation method [11], the asymptotic method [12], the averaging method [13] and the extended Galerkin [14] method are four approximate analytical methods that requires an assumption of small parameters in applying the algorithm to the equation and convergence. However, in solving mechanical and dynamical problems [1-6], coefficients of nonlinear terms and coefficients of exciting forces are rather large. The assumption of small parameters also leads to another limitation in the four methods, where only periodic solutions could be found and examined, but not chaotic solutions.

The methods used in Refs. [8-14] were able to find and assess the real-valued solutions of the Duffing equation. These findings are considered sufficient for linear differential equations since the linear combination of the real and imaginary components of the solutions is also a solution to this type of equations. However, for nonlinear differential equations, these findings are not sufficient as the linear combination is not a solution to these equations [15]. Moreover, for the complex-valued solutions of nonlinear differential equations, there exists a phase space instead of phase plane as for the real-valued solutions [15].

In order to overcome the shortcoming, many new techniques appeared in the literature such as: variational iteration method [16, 17], energy balance method [18, 19], parameter-expansion method [20], Hamiltonian approach [21, 22], variational approach [23, 24], homotopy analysis method [25], ...

When most of these methods are applied to free nonlinear vibration equation the convergence of method is still open. They do not indicate the way to find complex-valued solutions of the equation if that exist.

This paper proposes an algorithm and an iterative process to find the real-valued solution or complex-valued solution of the general Duffing equation.

The focus of interests in the paper includes:

Finding an algorithm to transform the initial equation to a resulting equation; proposing a coupling successive approximation method to solve the resulting equation; finding an analytical approximation solution in real-valued or complex-valued solutions; building the formulae for calculating the oscillation frequency of a system of non-linear equations, and providing a simple indication of chaotic solutions to the Duffing equation; describing chaotic solutions in an analytical form, examining the characteristics of chaotic solutions and using the Poincaré conjecture for verifying the chaotic properties of the solutions.

2. THE ALGORITHM TO TRANSFORM THE INITIAL EQUATION TO THE RESULTING EQUATION

2.1. The algorithm to transform the initial equation

Consider a general Duffing equation as

$$\ddot{x} + 2\nu\dot{x} + \lambda x^3 + 2qx^2 + kx = p \cos \omega t. \quad (1)$$

Adding a fixed parameter σ to both sides of Eq. (1), then dividing both sides by $x + d$, we have

$$\frac{1}{x+d} (\ddot{x} + 2\nu\dot{x} + \lambda x^3 + 2qx^2 + kx + \sigma) = \frac{\sigma + p \cos \omega t}{x+d}, \quad (2)$$

where d is a fixed parameter, $x + d$ is assumed to be different from zero and checked after x is found

Eq. (2) can be rewritten as

$$\frac{d}{dt} \left(\frac{\dot{u}}{u} \right) + \frac{\dot{u}^2}{u^2} + \frac{d}{dt} \left(\frac{1}{2} \frac{\dot{v}}{v} \right) - \left(\frac{1}{2} \frac{\dot{v}}{v} \right)^2 = \frac{\sigma + p \cos \omega t}{x+d}, \quad (3)$$

in which

$$\frac{\dot{u}}{u} = a_1 \frac{\dot{x}}{x+d} + a_2 x + a_3 + \frac{b}{x+d}, \quad (4)$$

$$\frac{1}{2} \frac{\dot{v}}{v} = b_1 \frac{\dot{x}}{x+d} + b_2 x + b_3 + \frac{b}{x+d} \quad (5)$$

and with the conditions that parameters $\sigma, d, a_1, a_2, a_3, b_1, b_2, b_3, b$ are suitably determined.

Applying Eqs. (4) and (5) into Eq. (3), then combining the equivalent equation with Eq. (2), we obtain a system of algebraic nonlinear equations of parameters

$$\begin{aligned} a_1 - b_1 &= 1, & a_2 + b_2 + 2a_1 a_2 - 2b_1 b_2 &= 0, \\ (a_2 + b_2) d + 2a_1 a_3 - 2b_1 b_3 &= 2\nu (a_1 + b_1), \\ a_2^2 - b_2^2 &= \lambda (a_1 + b_1), \\ (a_2^2 - b_2^2) d + 2a_2 a_3 - 2b_2 b_3 &= 2q (a_1 + b_1), \\ (2a_2 a_3 - 2b_2 b_3) d + a_3^3 - b_3^3 + (2a_2 - 2b_2) b &= k (a_1 + b_1), \\ (a_3^3 - b_3^3) d + (2a_3 - 2b_3) b &= \sigma (a_1 + b_1). \end{aligned} \quad (6)$$

Solving the system of Eqs. (6), the parameters are given by

$$\begin{aligned} b_1 &= a_1 - 1, & a_2 &= (2a_1 - 3) \sqrt{-\frac{\lambda}{8}}, & b_2 &= (2a_1 + 1) \sqrt{-\frac{\lambda}{8}}, \\ a_3 &= \frac{1}{3\sqrt{-\frac{\lambda}{8}}} \left[(2a_1 + 1) \nu \sqrt{-\frac{\lambda}{8}} - (a_1 - 1) q + \frac{3}{8} (2a_1 - 1) \lambda d \right], \\ b_3 &= \frac{1}{3\sqrt{-\frac{\lambda}{8}}} \left[(2a_1 - 3) \nu \sqrt{-\frac{\lambda}{8}} - a_1 q + \frac{3}{8} (2a_1 - 1) \lambda d \right], \\ b &= \frac{2a_1 - 1}{8\sqrt{-\frac{\lambda}{8}}} \left[(2q - \lambda d) d + \frac{8}{9\lambda} \left(q + 4\nu \sqrt{-\frac{\lambda}{8}} \right) \left(q - 2\nu \sqrt{-\frac{\lambda}{8}} \right) - \frac{2}{3} \left(q + 4\nu \sqrt{-\frac{\lambda}{8}} \right) d - k \right], \\ \sigma &= -\frac{2}{3\lambda} \left(q + 4\nu \sqrt{-\frac{\lambda}{8}} \right) \left[\frac{8}{9\lambda} \left(q + 4\nu \sqrt{-\frac{\lambda}{8}} \right) \left(q - 2\nu \sqrt{-\frac{\lambda}{8}} \right) - k \right]. \end{aligned} \quad (7)$$

Given Eq. (4) and Eq. (5) and the parameters specified by Eq. (7) one can see that Eq. (3) and Eq. (1) are totally equivalent.

Note that, there are still two arbitrary parameters, a_1 and d in Eq. (7). For simplicity, a_1 and d are suitably selected. First, d is selected so that $b = 0$, i.e. d is selected from the equation

$$(2q - \lambda d)d + \frac{8}{9\lambda} \left(q + 4\nu\sqrt{-\frac{\lambda}{8}} \right) \left(q - 2\nu\sqrt{-\frac{\lambda}{8}} \right) - \frac{2}{3} \left(q + 4\nu\sqrt{-\frac{\lambda}{8}} \right) d - k = 0.$$

Solving the equation yields

$$d = \frac{2}{3\lambda} \left(q - 2\nu\sqrt{-\frac{\lambda}{8}} \right) \pm \frac{\theta}{2\sqrt{-\frac{\lambda}{8}}}, \quad (8)$$

where

$$\theta = \left[\frac{1}{2} \left(k - \frac{4q^2}{3\lambda} - \frac{2}{3}\nu^2 \right) \right]^{\frac{1}{2}} \quad (9)$$

Next, a_1 is selected so that $b_1 = 0$. Thus,

$$\begin{aligned} a_1 = 1, \quad a_2 = -\sqrt{-\frac{\lambda}{8}}, \quad b_2 = 3\sqrt{-\frac{\lambda}{8}}, \\ a_3 = \frac{5}{6}\nu \mp \frac{\theta}{2} + \frac{q}{12\sqrt{-\frac{\lambda}{8}}}, \quad b_3 = -\frac{1}{2}\nu \mp \frac{\theta}{2} - \frac{q}{4\sqrt{-\frac{\lambda}{8}}}. \end{aligned} \quad (10)$$

Substituting $b_1 = b = 0$ and the values b_2, b_3 given by Eq. (10) into Eq. (5) leads to

$$x = \frac{1}{3\sqrt{-\frac{\lambda}{8}}} \left[\frac{1}{2} (\nu \pm \theta) + \frac{q}{4\sqrt{-\frac{\lambda}{8}}} \right] + \frac{1}{6\sqrt{-\frac{\lambda}{8}}} \frac{\dot{v}}{v}. \quad (11)$$

Note that the selection of a_1 and d such that $b_1 = b = 0$ provides the most useful algorithm.

Subtracting side with side of Eqs. (4) and (5), respectively, we obtain

$$(a_2 - b_2)x + a_3 - b_3 = \frac{\dot{u}}{u} - \frac{1}{2} \frac{\dot{v}}{v} - \frac{\dot{x}}{x+d}.$$

Substituting the value of x given by Eq. (11) into the above equation leads to

$$\frac{2}{3} (\nu \mp \theta) - \frac{2}{3} \frac{\dot{v}}{v} = \frac{\dot{u}}{u} - \frac{1}{2} \frac{\dot{v}}{v} - \frac{\dot{x}}{x+d}.$$

Integrating the equation with respect to t yields

$$e^{-2/3} e^{2/3(\nu \mp \theta)t} = \frac{u}{(x+d)v^{1/2}}.$$

Taking a new function ξ into consideration as

$$e^{-2/3} e^{2/3(\nu \mp \theta)t} = \frac{u}{(x+d)v^{1/2}} = \frac{1}{\xi^2}, \quad (12)$$

therefore we obtain

$$\frac{1}{2} \frac{\dot{v}}{v} = \frac{3}{2} \frac{\dot{\xi}}{\xi} + \frac{1}{2} (\nu \mp \theta). \quad (13)$$

Based on given Eq. (13) and Eq. (11), a transformation is obtained as

$$x = -\frac{2}{3\lambda} \left[q + 4\nu \sqrt{-\frac{\lambda}{8}} \right] + \frac{1}{2\sqrt{-\frac{\lambda}{8}}} \frac{\dot{\xi}}{\xi}. \quad (14)$$

2.2. Transforming the initial equation to the resulting one

Eq. (3) can be rewritten as

$$\frac{d}{dt} \left(\frac{\dot{u}}{u} + \frac{1}{2} \frac{\dot{v}}{v} \right) + \frac{\dot{u}^2}{u^2} - \left(\frac{1}{2} \frac{\dot{v}}{v} \right)^2 = \frac{\sigma + p \cos \omega t}{x + d}. \quad (15)$$

Multiplying both sides of the equation by $u/v^{1/2}$ leads to

$$\frac{u}{v^{1/2}} \frac{d}{dt} \left(\frac{\dot{u}}{u} + \frac{1}{2} \frac{\dot{v}}{v} \right) + \frac{u}{v^{1/2}} \left[\left(\frac{\dot{u}}{u} \right)^2 - \left(\frac{1}{2} \frac{\dot{v}}{v} \right)^2 \right] = (\sigma + p \cos \omega t) \frac{u}{(x + d) v^{1/2}}.$$

Integrating the obtained equation with respect to t , we find an initial integral

$$\frac{u}{v^{1/2}} \left(\frac{\dot{u}}{u} + \frac{1}{2} \frac{\dot{v}}{v} \right) = D_2 + \int_0^t (\sigma + p \cos \omega t) \frac{u}{(x + d) v^{1/2}} dt, \quad (16)$$

where D_2 is an integral constant.

Substituting the values $a_1 = 1$, $b = 0$, parameters a_2, a_3 given by Eq. (10) and Eq. (14) into Eq. (4) leads to

$$\frac{\dot{u}}{u} = \frac{\dot{x}}{x + d} - \frac{1}{2} \frac{\dot{\xi}}{\xi} + \frac{1}{2} (\nu \mp \theta) \quad (17)$$

and integrating it with respect to t yields

$$u = (x + d) \xi^{-1/2} e^{1/2(\nu \mp \theta)t}. \quad (18)$$

From Eqs. (12), (13), (17) and (18) one can get

$$\frac{u}{v^{1/2}} \left(\frac{\dot{u}}{u} + \frac{1}{2} \frac{\dot{v}}{v} \right) = \frac{1}{\xi^2} \left[\dot{x} + (x + d) \left(\frac{\dot{\xi}}{\xi} + \nu \mp \theta \right) \right]. \quad (19)$$

Using Eqs. (8) and (14), the formulae of \dot{x} and $x + d$ are expressed as

$$\begin{aligned} \dot{x} &= \frac{1}{2\sqrt{-\frac{\lambda}{8}}} \left(\frac{\ddot{\xi}}{\xi} - \frac{\dot{\xi}^2}{\xi^2} \right), \\ x + d &= \frac{1}{2\sqrt{-\frac{\lambda}{8}}} \left[\frac{\dot{\xi}}{\xi} + (\nu \pm \theta) \right]. \end{aligned}$$

Substituting the above-obtained formulae into Eq. (19) gives

$$\frac{v}{v^{1/2}} \left(\frac{\dot{u}}{u} + \frac{1}{2} \frac{\dot{v}}{v} \right) = \frac{1}{2\sqrt{-\frac{\lambda}{8}\xi^3}} \left[\ddot{\xi} + 2\nu\dot{\xi} - \frac{1}{2}K\xi \right], \quad (20)$$

where

$$K = k - \frac{4q^2}{3\lambda} - \frac{8}{3}\nu^2.$$

From Eqs. (12), (16), and (20), the resulting equation is obtained

$$\ddot{\xi} + 2\nu\dot{\xi} - \frac{1}{2}K\xi = f(\xi, t), \quad (21)$$

where

$$f(\xi, t) = 2\sqrt{-\frac{\lambda}{8}\xi^3} \left[D_2 + \int_0^t (\sigma + p \cos \omega t) \frac{1}{\xi^2} dt \right].$$

The formula (14) and Eq. (21) are the transformation and the resulting equation that the present paper is looking for. In order to formulate a successive approximation method, the right hand side of Eq. (21) is written as

$$f(\xi, t) = 2\sqrt{\frac{-\lambda}{8}} \eta(\xi, t) \xi, \quad (22)$$

where

$$\eta(\xi, t) = \xi^2 \left[D_2 + \int_0^t (\sigma + p \cos \omega t) \frac{1}{\xi^2} dt \right]. \quad (23)$$

3. EQUATION SOLVED BY THE COUPLING SUCCESSIVE APPROXIMATION METHOD

Finding an analytic approximated solution to Eq. (21) by the coupling successive approximation method is carried out by continuous loops of iteration. Each loop contains continuously iterative steps.

3.1. Loops of iteration

In loop "0"th, we solve the linear differential equation (21) without the right hand side to find the solution of $\xi_0(t)$. In the first loop, substituting $\xi(t) = \xi_0(t)$ in the right hand side of Eq. (21) and solving the obtained linear differential equation we find $\xi_1(t)$ and so on. In loop $n-1$ th, the value $\xi_{n-1}(t)$ is found. The function $\eta(\xi_{n-1}, t)$ is computed by the formula (22)

$$\eta(\xi_{n-1}, t) = (\xi_{n-1})^2 \left[D_2 + \int_0^t (\sigma + p \cos \omega t) \frac{1}{(\xi_{n-1})^2} dt \right], \quad (24)$$

the iteration scheme of successive approximation method is introduced as following

$$\ddot{\xi}_n + 2\nu\dot{\xi}_n - \frac{1}{2}K\xi_n = 2\sqrt{-\frac{\lambda}{8}}\eta(\xi_{n-1}, t)\xi_{n-1}, \quad n = 1, 2, 3 \dots \quad (25)$$

By solving Eq. (25), where the right hand side is a known function and taking into account Eq. (9), the analytic approximated solution in n^{th} loop of iteration is obtained

$$\xi_n = \frac{\sqrt{-\frac{\lambda}{8}}}{\theta}y_{n-1} - \frac{\sqrt{-\frac{\lambda}{8}}}{\theta}z_{n-1} + D_3e^{-(\nu-\theta)t} - D_4e^{-(\nu+\theta)t}, \quad (26)$$

where

$$y_{n-1}(t) = e^{-(\nu-\theta)t} \left[\int_0^t \eta(\xi_{n-1}, t)\xi_{n-1}e^{(\nu-\theta)t} dt \right], \quad (27)$$

$$z_{n-1}(t) = e^{-(\nu+\theta)t} \int_0^t \eta(\xi_{n-1}, t)\xi_{n-1}e^{(\nu+\theta)t} dt, \quad (28)$$

$$\theta = \left[\frac{1}{2} \left(k - \frac{4}{3} \frac{q^2}{\lambda} - \frac{2}{3} \nu^2 \right) \right]^{\frac{1}{2}}$$

Examining Eq. (26) we can predict some characteristics of solution.

If $k - \frac{4}{3} \frac{q^2}{\lambda} - \frac{2}{3} \nu^2 > 0$ then θ is a real number, the solution describes an oscillation depending only one excited frequency ω .

If $k - \frac{4}{3} \frac{q^2}{\lambda} - \frac{2}{3} \nu^2 < 0$ then θ is an imaginary number, i.e

$$\theta = i\varphi \quad \text{with} \quad \varphi = \left[\frac{1}{2} \left(\frac{2}{3} \nu^2 + \frac{4}{3} \frac{q^2}{\lambda} - k \right) \right]^{1/2}$$

where φ plays the role of a new frequency of a nonlinear vibration. The solution (26) describes a complex oscillation with many frequencies: excited frequency ω , vibration frequency φ and combined frequency of ω and φ , that the chaotic characteristics of solution may be predicted.

Each function in the sequence $\xi_0(t), \xi_1(t), \dots, \xi_{n-1}(t), \xi_n(t)$ can be determined from the one immediately preceding it by solving the respective linear differential equation (25).

The process is stopped when the condition $\max_n \|\xi_n(t) - \xi_{n-1}(t)\| < \varepsilon$ is achieved, where ε is a small positive number as required. But the convergence proving of this process is very complicated.

Thus, a coupling successive approximation method based on Eq. (22) must be developed with the iterative steps as following: in each loop of iteration, continuously iterative steps are carried out.

$$D_2 = \frac{2\theta D_3}{\left(\xi_{n,0}^0 \right)^2 \xi_{n,m}^0 \left\{ 2\sqrt{-\frac{\lambda}{8}} \left[x_0 + \frac{2}{3\lambda} \left(4\nu\sqrt{-\frac{\lambda}{8}} + q \right) + \nu + \theta \right] \right\} \cdot \left\{ \dot{x}_0 + 2\sqrt{-\frac{\lambda}{8}} \left[x_0 + \frac{2}{3\lambda} \left(4\nu\sqrt{-\frac{\lambda}{8}} + q \right) \right]^2 + \frac{(\nu + \theta)^2}{2\theta} \left[x_0 + \frac{2}{3\lambda} \left(4\nu\sqrt{-\frac{\lambda}{8}} + q \right) + \frac{1}{2\sqrt{-\frac{\lambda}{8}}} (\nu - \theta) \right] - \frac{(\nu - \theta)^2}{2\theta} \left[x_0 + \frac{2}{3\lambda} \left(4\nu\sqrt{-\frac{\lambda}{8}} + q \right) + \frac{1}{2\sqrt{-\frac{\lambda}{8}}} (\nu + \theta) \right] \right\}}, \quad (38)$$

where D_3 is an elective constant, it is possible to select $D_3 = 1$.

J. CALCULATING STEPS

Step 1: Providing input parameters $k, q, \nu, \lambda, p, \omega, x_0, x_0$.

Step 2: Finding σ based on Eq. (7), θ based on Eq. (9) and other input parameters.

Step 3: Finding the integral coefficients based on Eq. (37) and Eq. (38).

Step 4: Getting the 0th approximation $\xi_{1,0} = D_3 e^{-(\nu-\theta)t}$ or $\xi_{1,0} = D_4 e^{-(\nu+\theta)t}$, and determining the initial condition $\xi_{n,0}^0, \xi_{n,m}^0$.

Step 5: Finding $\xi_{n,m+1}, \dot{\xi}_{n,m+1}$ based on Eq. (30), Eq. (31) and Eq. (32).

Step 6: Finding $x_{n,m+1}(t), \dot{x}_{n,m+1}(t)$ based on Eq. (33) and Eq. (34).

Step 7: Plotting $\{R_e[x_{n,m+1}(t)], R_e[\dot{x}_{n,m+1}(t)], I_m[x_{n,m+1}(t)]\}$.

Step 8: Plotting $\{R_e[x_{n,m+1}(t)], R_e[\dot{x}_{n,m+1}(t)]\}$.

Step 9: Plotting $\{R_e[x_{n,m+1}(t)]\}$.

The approximations in the first step of the first loop: $\xi_{1,1}, \dot{\xi}_{1,1}, \ddot{\xi}_{1,1}$ are found by integrating in closed form, next the approximations are found by integrating numerically.

6. APPLICATION AND ASSESSMENT OF SOLUTION PROPERTIES

6.1. Exact solution

The resulting equation of the proposed method can be used to find exact solutions in some particular cases:

Consider an initial equation

$$\ddot{x} + \lambda x^3 + kx = 0.$$

It is derived from the Eq. (1) when $\nu = 0, q = 0, p = 0$.

In this case, the transformation (14) and the solving Eq. (21) can be written as

$$x = \frac{1}{2\sqrt{-\frac{\lambda}{8}}} \xi, \quad \ddot{\xi} - \frac{1}{2} k \xi = 0,$$

where: $\sigma = 0$ because $\nu = 0, q = 0$ and selected constant can be chosen $D_2 = 0$.
Based on the resulting equations, we find

$$\xi = C \cosh\left(\sqrt{\frac{k}{2}}t + \phi\right),$$

and

$$x = \sqrt{\frac{-k}{\lambda}} \tanh\left(\sqrt{\frac{k}{2}}t + \phi\right), \quad (39)$$

$$\dot{x} = k\sqrt{\frac{-1}{2\lambda}} \frac{1}{\cosh^2\left(\sqrt{\frac{k}{2}}t + \phi\right)}, \quad (40)$$

in which: C, ϕ - integral constants.




Fig. 1. Comparison of exact solution (39) with numerical solutions using Mathematica 7 and the solution at first approximation of the proposed coupling successive approximation method (CSAM); $k = 1, \lambda = -2, x[0] = 0, \dot{x}[0] = 0.5$

With the initial set of parameters: $k = 1, \lambda = -2, \phi = 0$ and the initial condition

$$x_0 = x(t)|_{t=0} = 0, \quad \dot{x}_0 = \dot{x}(t)|_{t=0} = 0.5,$$

the exact solution (39), (40) can be found

$$x = \sqrt{\frac{1}{2}} \tanh\left(\sqrt{\frac{1}{2}}t\right), \quad \dot{x} = \frac{1}{2} \frac{1}{\cosh^2\left(\sqrt{\frac{1}{2}}t\right)}.$$

Solving the initial equation with the set of parameters: $k = 1, \lambda = -2, x_0 = 0, \dot{x}_0 = 0.5$ by the numerical method using Mathematica 7 and the coupling successive approximation method (CSAM) then comparing obtained results with the exact solutions (39), (40) we can see that they are coincided exactly (see Fig. 1).

6.2. Real-valued solution

In this case, θ is real and λ is smaller than zero. In fact, consider Eq. (1) with given parameters $k = 0.12, q = 0.0, \lambda = -1.0, \nu = 0.4, \omega = 1.0, p = 1.558, x_0 = -0.4, \dot{x}_0 = -1.0$.

In this case θ can be evaluated as $\theta = 0.0816497$.




Fig. 2. Phase plane with $t(50, 550)$, based on the results at the first approximation




Fig. 3. Solution $x(t)$, based on the results at the first approximation




Fig. 4. Solution $\dot{x}(t)$, based on the results at the first approximation

Remarks:

When θ is real and $\lambda < 0$, the obtained solution is real-valued one.

The phase curves illustrated in Fig. 2 are smooth. They are not intersecting, intertwined into a closed ring.

The curve $x(t)$ is periodic with decreasing amplitude, and the solution $x(t)$ shows a stable motion (Figs. 3 and 4).

6.3. Complex-valued solutions

Complex-valued solutions have two components, the real and imaginary, $Re[x(t)]$, $Im[x(t)]$. Differentiated complex-valued solution with respect to time also has two components, the real and imaginary, $Re[\dot{x}(t)]$, $Im[\dot{x}(t)]$. From Eq. (1) and the equivalent Eq. (3), the initial integral (19) including the four components mentioned above is founded. Therefore only three components are independent. The three components form a phase space, which is different from a phase plane in the case of real valued solution [15].

Consider Eq. (1) with the following parameters $k = -1/5$, $g = 0.0$, $\lambda = 8/15$, $\nu = 1/50$, $\omega = 0.32$, $p = 0.4$, $x_0 = -0.4$, $\dot{x}_0 = -1.0$.

In this case θ can be evaluated as an imaginary number $\theta = 0.316493i$, thus $\theta = i\varphi$ where φ is real.

Remarks:

The coefficient of nonlinear term $\lambda = 8/15$ is twice as big as the coefficient of linear term $k = -1/5$. Thus, it is not suitable to use the assumption of small parameters in solving this problem.

In this example, $\theta = 0.316493i$, the solution is a complex-valued and chaotic one. From time period $t(5000, 6000)$ to $t(9500, 10500)$, the phase space has a relatively stable structure (Figs. 5 and 6).

The curves in the phase space (Fig. 5) intersect. They are not smooth and have complex behavior.




Fig. 5. Phase space with $t(5000, 6000)$, based on the results at the first approximation




Fig. 6. Phase space with $t(9500, 10500)$, based on the results at the first approximation

The curves illustrating motion $x(t)$ (Fig. 7) do not behave with any patterns, being affected by not only global motion, but also local motion. They never repeat themselves

the exact solution (39), (40) can be found

$$x = \sqrt{\frac{1}{2}} \tanh\left(\sqrt{\frac{1}{2}}t\right), \quad \dot{x} = \frac{1}{2} \frac{1}{\cosh^2\left(\sqrt{\frac{1}{2}}t\right)}.$$

Solving the initial equation with the set of parameters: $k = 1, \lambda = -2, x_0 = 0, \dot{x}_0 = 0.5$ by the numerical method using Mathematica 7 and the coupling successive approximation method (CSAM) then comparing obtained results with the exact solutions (39), (40) we can see that they are coincided exactly (see Fig. 1).

6.2. Real-valued solution

In this case, θ is real and λ is smaller than zero. In fact, consider Eq. (1) with given parameters $k = 0.12, q = 0.0, \lambda = -1.0, \nu = 0.4, \omega = 1.0, p = 1.558, x_0 = -0.4, \dot{x}_0 = -1.0$.

In this case θ can be evaluated as $\theta = 0.0816497$.




Fig. 2. Phase plane with $t(50, 550)$, based on the results at the first approximation




Fig. 3. Solution $x(t)$, based on the results at the first approximation




Fig. 4. Solution $\dot{x}(t)$, based on the results at the first approximation

Remarks:

When θ is real and $\lambda < 0$, the obtained solution is real-valued one.

The phase curves illustrated in Fig. 2 are smooth. They are not intersecting, intertwined into a closed ring.

The curve $x(t)$ is periodic with decreasing amplitude, and the solution $x(t)$ shows a stable motion (Figs. 3 and 4).

6.3. Complex-valued solutions

Complex-valued solutions have two components, the real and imaginary, $Re[x(t)]$, $Im[x(t)]$. Differentiated complex-valued solution with respect to time also has two components, the real and imaginary, $Re[\dot{x}(t)]$, $Im[\dot{x}(t)]$. From Eq. (1) and the equivalent Eq. (3), the initial integral (19) including the four components mentioned above is founded. Therefore only three components are independent. The three components form a phase space, which is different from a phase plane in the case of real valued solution [15].

Consider Eq. (1) with the following parameters $k = -1/5$, $q = 0.0$, $\lambda = 8/15$, $\nu = 1/50$, $\omega = 0.32$, $p = 0.4$, $x_0 = -0.4$, $\dot{x}_0 = -1.0$.

In this case θ can be evaluated as an imaginary number $\theta = 0.316493i$, thus $\theta = i\varphi$ where φ is real.

Remarks:

The coefficient of nonlinear term $\lambda = 8/15$ is twice as big as the coefficient of linear term $k = -1/5$. Thus, it is not suitable to use the assumption of small parameters in solving this problem.

In this example, $\theta = 0.316493i$, the solution is a complex-valued and chaotic one. From time $t(5000, 6000)$ to $t(9500, 10500)$, the phase space has a relatively stable structure (Figs. 5 and 6).

The curves in the phase space (Fig. 5) intersect. They are not smooth and have complex behavior.




Fig. 5. Phase space with $t(5000, 6000)$, based on the results at the first approximation




Fig. 6. Phase space with $t(9500, 10500)$, based on the results at the first approximation

The curves illustrating motion $x(t)$ (Fig. 7) do not behave with any patterns, being affected by not only global motion, but also local motion. They never repeat themselves




Fig. 7. The real component of solution $x(t)$, based on the results at the first approximation



Fig. 8. Poincaré section of the phase space in Fig. 5 with $Im[x(t)] = 0$

and there is no sign of resonance, although the frequency of exciting force $\omega = 0.32$ is very close to the vibration frequency $\varphi = 0.316493$.

Poincaré section (Fig. 8) includes a collection of points. Thus, the chaotic property of the solution in this example is proved.

6.4. Chaotic solution

As can be seen that the indication of the chaotic solution to the Duffing equation is shown by the factor θ (see Eq. (9)), when $\theta = i\varphi$, φ is real number.

Consider Eq. (1) with the following parameters $k = 0.0, q = 0.0, \lambda = 1.0, \nu = 0.025, \omega = 1.0, p = 7.5, x_0 = -0.4, \dot{x}_0 = -1.0$.

In this case θ can be evaluated as $\theta = 0.0144338i$.




Fig. 9. Phase space with $t (150,1150)$, based on the results at the first approximation




Fig. 10. Phase plane with $t (150,1150)$, based on the results at the first approximation




Fig. 11. The real component of solution $x(t)$, based on the results at the first approximation



Fig. 12. Poincaré section of the phase space in Fig. 9 with $Im[x(t)] = 0$

Remarks:

The coefficient $\lambda = 1.0$ and the coefficient of exciting force $p = 7.5$ have finite values different from zero and large, meanwhile the coefficient of the linear term $k = 0$. Thus, it is not suitable to use the assumption of small parameters in solving this problem.

In this example, $\theta = 0.0144338i$, the solution is complex-valued one. Based on the indication, $\theta = i\varphi$, the solution is chaotic.

The curves in the phase space (Fig. 9), and the phase plane (Fig. 10) are rough, creased, intersecting and intertwined.

The curves of the real-valued component of solution $x(t)$ cluster together. They do not repeat each with other, but they have similar structure (Fig. 11). The clusters are thus considered sustainable.

Poincaré section (Fig. 12) consists of a set of points. Thus, the chaotic property of the solution in this example is proved.

7. CONCLUSION

Findings of the paper are summarized as follows:

1. An algorithm to solve the Duffing equation is proposed, in which a method to transform the initial equation to the resulting equation and a coupling successive approximation method (CSAM) to solve the resulting equation are presented.

2. Based on the proposed algorithm, the analytic approximated solutions obtained may be real-valued, complex-valued.

3. The indication of chaotic solutions to Duffing equation is found. The indication is

$$k - \frac{4q^2}{3\lambda} - \frac{2}{3}\nu^2 < 0.$$

4. When the indication is satisfied, the Duffing equation has complex-valued solutions, and the phase curve is a spatial curve in a phase space in stead of the phase plane. The Poincare section consists of a set of points and the solution is chaotic.

5. A formula to compute the vibration frequency of Duffing equation is obtained

$$\varphi = \left[\frac{1}{2} \left(\frac{2}{3} \nu^2 + \frac{4q^2}{3\lambda} - k \right) \right]^{1/2}$$

this frequency is only dependent on the parameters of the equation, and independent of parameters of exciting forces.

6. The structure of chaotic solutions is revealed, since the first approximation solution is able to be expressed in an analytic form. The chaotic solution consists of complex vibration with many frequencies: exciting frequency ω , vibration frequency φ and combined frequency of ω and φ , with bounded amplitude. The chaotic solution is going towards the attracting set as the process towards limit.

7. Using the resulting equation of the proposed method an exact analytical solution can be found to some specific Duffing equations without right hand side.

REFERENCES

- [1] A. Volmir. *Non-linear dynamics of plates and shells*. Science Edition M, (1972).
- [2] D. Evenson and R. Fulton. Some studies of the non-linear dynamic response of shell-type structures. In the book. *Dynamic stability structures. Proc. of Int. confer. (ed. by Herrmann G.) Oxford*, (1967), pp. 237–254
- [3] F. Alijani, M. Amabili, K. Karagiozis, and F. Bakhtiari-Nejad. Nonlinear vibrations of functionally graded doubly curved shallow shells. *Journal of Sound and Vibration*, **330**, (7), (2011), pp. 1432–1454.
- [4] B. Wu, C. Lim, and Y. Ma. Analytical approximation to large-amplitude oscillation of a non-linear conservative system. *International Journal of Non-linear Mechanics*, **38**, (7), (2003), pp. 1037–1043.
- [5] D. H. Bich, D. V. Dung, and V. H. Nam. Nonlinear dynamical analysis of eccentrically stiffened functionally graded cylindrical panels. *Composite Structures*, **94**, (8), (2012), pp. 2465–2473.
- [6] D. H. Bich and N. X. Nguyen. Nonlinear vibration of functionally graded circular cylindrical shells based on improved Donnell equations. *Journal of Sound and Vibration*, **331**, (25), (2012), pp. 5488–5501.
- [7] N. Dao, T. Chi, and N. Dung. Chaos phenomenon in a nonlinear Mathieu oscillator. In *Proceeding of the Seventh National Congress on Mechanics*, Hanoi, (December, 2002), pp. 18–20.
- [8] B. P. Flannery, W. H. Press, S. A. Teukolsky, and W. Vetterling. Numerical recipes in C. *Press Syndicate of the University of Cambridge, New York*, (1992).
- [9] A. K. Chopra. *Dynamics of structures*, Vol. 3. Prentice Hall New Jersey, (1995).
- [10] <http://www.Wolfram.com/products/player/>.
- [11] A. H. Nayfeh and B. Balachandran. *Applied nonlinear dynamics: Analytical, computational and experimental methods*. John Wiley & Sons, (2008).
- [12] Y. A. Mitroposkii and N. V. Dao. *Lectures on asymptotic methods on nonlinear dynamics*. Vietnam National University Publishing House, (2003).

- [13] P. Yu, Y. M. Desai, N. Popplewell, and A. H. Shah. The Krylov-Bogoliubov and Galerkin methods for nonlinear oscillations. *Journal of Sound and Vibration*, **192**, (2), (1996), pp. 431–438.
- [14] G. Chen. Application of generalized Galerkin's method to non-linear oscillations of two-degree-freedom systems. *Journal of sound and vibration*, **119**, (2), (1997), pp. 225–242.
- [15] D. H. Bich and N. D. Bich. On the characteristics of solutions to the Duffing equations. In *Proceeding of the IX National Congress on Mechanics*, Hanoi, (December, 2012). pp. 58–66.
- [16] J. H. He, G. C. Wu, and F. Austin. The variational iteration method which should be followed. *Nonlinear Science Letters A-Mathematics, Physics and Mechanics*, **1**, (1), (2010), pp. 1–30.
- [17] J. H. He and X. H. Wu. Construction of solitary solution and compaction-like solution by variational iteration method. *Chaos Solitons & Fractals*, **29**, (2006).
- [18] J. H. He. Preliminary report on the energy balance for nonlinear oscillations. *Mechanics Research Communications*, **29**, (2), (2002), pp. 107–111.
- [19] T. Öziş and A. Yıldırım. Determination of the frequency-amplitude relation for a Duffing-harmonic oscillator by the energy balance method. *Computers & Mathematics with Applications*, **54**, (7), (2007), pp. 1184–1187.
- [20] S.-Q. Wang and J.-H. He. Nonlinear oscillator with discontinuity by parameter-expansion method. *Chaos, Solitons & Fractals*, **35**, (4), (2008), pp. 688–691.
- [21] S. Durmaz, S. A. Demirbağ, and M. Kaya. High order Hamiltonian approach to nonlinear oscillators. *International Journal of Nonlinear Sciences and Numerical Simulation*, **11**, (8), (2010), pp. 565–570.
- [22] J.-H. He. Hamiltonian approach to nonlinear oscillators. *Physics Letters A*, **374**, (23), (2010), pp. 2312–2314.
- [23] J.-H. He. Variational approach for nonlinear oscillators. *Chaos, Solitons & Fractals*, **34**, (5), (2007), pp. 1430–1439.
- [24] M. Kaya, S. Durmaz, and S. A. Demirbağ. He's variational approach to multiple coupled nonlinear oscillators. *International Journal of Nonlinear Sciences and Numerical Simulation*, **11**, (10), (2010), pp. 859–866.
- [25] A. Kimiaefar, A. Saidi, G. Bagheri, M. Rahimpour, and D. Domairry. Analytical solution for Van der Pol-Duffing oscillators. *Chaos, Solitons & Fractals*, **42**, (5), (2009), pp. 2660–2666.